


Reference 3D Model



PROPRIETARY NOTICE:
THIS DRAWING SHEET AND THE CONTENTS HEREIN ARE THE PROPERTY OF A ZAHNER COMPANY. USE OF THIS DRAWING, CONTENTS OR DESIGN FOR PURPOSES OTHER THAN ESTIMATING, DRAWING PREPARATION AND/OR MANUFACTURING FOR A ZAHNER COMPANY SHALL BE CAUSE FOR LEGAL RECOURSE BY A ZAHNER COMPANY.

NOT FOR CONSTRUCTION, DESIGN AID ONLY
11X17 SHEET, DO NOT SCALE DRAWING
LAST MODIFIED DATE 12.04.2024

MODA WALL PANEL SYSTEM
DETAIL SET
Page 1 of 11



ZAHNER
WWW.AZAHNER.COM

System Components

PANEL ASSEMBLIES

HARDWARE

ACCESSORIES




PROPRIETARY NOTICE:
THIS DRAWING SHEET AND THE CONTENTS HEREIN ARE THE PROPERTY OF A ZAHNER COMPANY. USE OF THIS DRAWING, CONTENTS OR DESIGN FOR PURPOSES OTHER THAN ESTIMATING, DRAWING PREPARATION AND/OR MANUFACTURING FOR A ZAHNER COMPANY SHALL BE CAUSE FOR LEGAL RECOURSE BY A ZAHNER COMPANY.

NOT FOR CONSTRUCTION, DESIGN AID ONLY
11X17 SHEET, DO NOT SCALE DRAWING
LAST MODIFIED DATE 12.04.2024

Panel Assembly

(36 Inch Assembly Shown)



PROPRIETARY NOTICE:
THIS DRAWING SHEET AND THE CONTENTS HEREIN ARE THE PROPERTY OF A ZAHNER COMPANY. USE OF THIS DRAWING, CONTENTS OR DESIGN FOR PURPOSES OTHER THAN ESTIMATING, DRAWING PREPARATION AND/OR MANUFACTURING FOR A ZAHNER COMPANY SHALL BE CAUSE FOR LEGAL RECOURSE BY A ZAHNER COMPANY.


NOT FOR CONSTRUCTION, DESIGN AID ONLY
11X17 SHEET, DO NOT SCALE DRAWING
LAST MODIFIED DATE 12.04.2024

Panel Configuration


(36 Inch Assembly Shown)

Panel Configuration is determined by how the Back Panel is oriented relative to the Face Panel, and can be adjusted at the time of installation. All panels ship from the factory in Configuration ©.


Configuration © (factory default)




Configuration †



Configuration ▲



Configuration □




PROPRIETARY NOTICE:
THIS DRAWING SHEET AND THE CONTENTS HEREIN ARE THE PROPERTY OF A ZAHNER COMPANY. USE OF THIS DRAWING, CONTENTS OR DESIGN FOR PURPOSES OTHER THAN ESTIMATING, DRAWING PREPARATION AND/OR MANUFACTURING FOR A ZAHNER COMPANY SHALL BE CAUSE FOR LEGAL RECOURSE BY A ZAHNER COMPANY.

NOT FOR CONSTRUCTION, DESIGN AID ONLY
11X17 SHEET, DO NOT SCALE DRAWING
LAST MODIFIED DATE 12.04.2024

Adjustable Reveal Width


Hardware fastener locations are often determined by adjustable horizontal panel reveal widths. Dimensions effected by adjustable reveal widths are labeled in this document using a bolded capital letter. Use the provided table to determine the correct dimintions for your desired layout.

Minimum Adjustable Reveal Width (Plan Section)



Scale 1 : 2

Maximum Adjustable Reveal Width (Plan Section)



Scale 1 : 2


PROPRIETARY NOTICE:
THIS DRAWING SHEET AND THE CONTENTS HEREIN ARE THE PROPERTY OF A.ZAHNER COMPANY. USE OF THIS DRAWING, CONTENTS OR DESIGN FOR PURPOSES OTHER THAN ESTIMATING, DRAWING PREPERATION AND/OR MANUFACTURING FOR A.ZAHNERCOMPANY SHALL BE CAUSE FOR LEGAL RECOURSE BY A.ZAHNER COMPANY.

NOT FOR CONSTRUCTION, DESIGN AID ONLY
11X17 SHEET, DO NOT SCALE DRAWING
LAST MODIFIED DATE 12.04.2024

DETAIL 1

MODA: Flat Wall Array - Plan Section

UNLESS OTHERWISE STATED: ALL PANNELS
ARE SET TO CONFIGURATION ○ OR ▲




DIMENTION	ADJUSTABLE REVEAL WIDTH											
	0.25"	0.50"	0.75"	1.00"	1.25"	1.50"	1.75"	2.00"	2.25"	2.50"	2.75"	3.00"
A	18.00"	18.25"	18.50"	18.75"	19.00"	19.25"	19.50"	19.75"	20.00"	20.25"	20.50"	20.75"
B	12.00"	12.25"	12.50"	12.75"	13.00"	13.25"	13.50"	13.75"	14.00"	14.25"	14.50"	14.75"
C	14.25"	14.50"	14.75"	15.00"	15.25"	15.50"	15.75"	16.00"	16.25"	16.50"	16.75"	17.00"
D	13.25"	13.50"	13.75"	14.00"	14.25"	14.50"	14.75"	15.00"	15.25"	15.50"	15.75"	16.00"
E	36.00"	36.25"	36.50"	36.75"	37.00"	37.25"	37.50"	37.75"	38.00"	38.25"	38.50"	38.75"

- ① Panel left edge to Edge Bracket (L) fastener.
- ② Edge Bracket (L) fastener to C-Bracket fastener.
- ③ C-Bracket fastener to C-Bracket fastener.
- ④ C-Bracket fastener to Edge Bracket (R) fastener.
- ⑤ Edge Bracket (R) fastener to panel right edge.
- ⑥ End Trim left edge to Edge Bracket (L) left edge.
- ⑦ End Trim right edge to Edge Bracket (R) right edge.

DETAIL 2

MODA: Flat Wall Array - Vertical Section




UNLESS OTHERWISE STATED: ALL PANNELS ARE SET TO CONFIGURATION © OR ▲

- ① Panel left edge to Edge Bracket (L) fastener.
- ② Required minimum distance from ceiling
- ③ Recommended minimum distance from floor

DETAIL 3

MODA: Inside 90° Corner - Plan Section

UNLESS OTHERWISE STATED:
ALL PANNELS ARE SET TO
CONFIGURATION ○ OR ▲




DIMENTION	ADJUSTABLE REVEAL WIDTH											
	0.25"	0.50"	0.75"	1.00"	1.25"	1.50"	1.75"	2.00"	2.25"	2.50"	2.75"	3.00"
A	18.00"	18.25"	18.50"	18.75"	19.00"	19.25"	19.50"	19.75"	20.00"	20.25"	20.50"	20.75"
B	12.00"	12.25"	12.50"	12.75"	13.00"	13.25"	13.50"	13.75"	14.00"	14.25"	14.50"	14.75"
C	14.25"	14.50"	14.75"	15.00"	15.25"	15.50"	15.75"	16.00"	16.25"	16.50"	16.75"	17.00"
D	13.25"	13.50"	13.75"	14.00"	14.25"	14.50"	14.75"	15.00"	15.25"	15.50"	15.75"	16.00"
E	36.00"	36.25"	36.50"	36.75"	37.00"	37.25"	37.50"	37.75"	38.00"	38.25"	38.50"	38.75"

- ① C-Bracket fastener to Edge Bracket (R) fastener.
- ② Edge Bracket (R) fastener to wall inside corner.
- ③ Inside wall corner to Edge Bracket (L).
- ④ Edge Bracket (L) fastener to C-Bracket fastener.
- ⑤ Inside corner reveal width.

DETAIL 4

MODA: Outside 90° Corner (Left) - Plan Section

UNLESS OTHERWISE STATED:
ALL PANNELS ARE SET TO
CONFIGURATION ○ OR ▲



DIMENTION	ADJUSTABLE REVEAL WIDTH											
	0.25"	0.50"	0.75"	1.00"	1.25"	1.50"	1.75"	2.00"	2.25"	2.50"	2.75"	3.00"
A	18.00"	18.25"	18.50"	18.75"	19.00"	19.25"	19.50"	19.75"	20.00"	20.25"	20.50"	20.75"
B	12.00"	12.25"	12.50"	12.75"	13.00"	13.25"	13.50"	13.75"	14.00"	14.25"	14.50"	14.75"
C	14.25"	14.50"	14.75"	15.00"	15.25"	15.50"	15.75"	16.00"	16.25"	16.50"	16.75"	17.00"
D	13.25"	13.50"	13.75"	14.00"	14.25"	14.50"	14.75"	15.00"	15.25"	15.50"	15.75"	16.00"
E	36.00"	36.25"	36.50"	36.75"	37.00"	37.25"	37.50"	37.75"	38.00"	38.25"	38.50"	38.75"


- ① C-Bracket fastener to Corner Bracket (L) fastener.
- ② Corner Bracket (L) fastener to wall outside corner.
- ③ Left wall outside corner to C-Bracket fastener.

DETAIL 5

MODA: Outside 90° Corner (Right) - Plan Section

UNLESS OTHERWISE STATED:
ALL PANNELS ARE SET TO
CONFIGURATION ○ OR ▲

DIMENTION	ADJUSTABLE REVEAL WIDTH											
	0.25"	0.50"	0.75"	1.00"	1.25"	1.50"	1.75"	2.00"	2.25"	2.50"	2.75"	3.00"
A	18.00"	18.25"	18.50"	18.75"	19.00"	19.25"	19.50"	19.75"	20.00"	20.25"	20.50"	20.75"
B	12.00"	12.25"	12.50"	12.75"	13.00"	13.25"	13.50"	13.75"	14.00"	14.25"	14.50"	14.75"
C	14.25"	14.50"	14.75"	15.00"	15.25"	15.50"	15.75"	16.00"	16.25"	16.50"	16.75"	17.00"
D	13.25"	13.50"	13.75"	14.00"	14.25"	14.50"	14.75"	15.00"	15.25"	15.50"	15.75"	16.00"
E	36.00"	36.25"	36.50"	36.75"	37.00"	37.25"	37.50"	37.75"	38.00"	38.25"	38.50"	38.75"




- ① C-Bracket fastener to Corner Bracket (R) fastener.
- ② Corner Bracket (R) fastener to wall outside corner.
- ③ Right wall outside corner to C-Bracket fastener.

DETAIL 6

MODA: Flat Wall Array (Landscape Panels) - Plan Section

UNLESS OTHERWISE STATED:
ALL PANNELS ARE SET TO
CONFIGURATION © OR ▲



- ① Panel left edge to Edge Bracket (L) fastener.
- ② Edge Bracket (L) fastener to C-Bracket fastener.
- ③ C-Bracket (in Mid-Panel Slot) fastener to C-Bracket fastener.
- ④ C-Bracket fastener to C-Bracket fastener, skipping intermediary Mid-Panel Slot.
- ⑤ C-Bracket (in Mid-Panel Slot) fastener to C-Bracket (in Mid-Panel Slot) fastener, skipping intermediary Mid-Panel Slot.
- ⑥ C-Bracket (in Mid-Panel Slot) fastener to Edge Bracket (R) fastener, skipping intermediary Mid-Panel Slot.
- ⑦ Edge Bracket (R) fastener to panel right edge.

DIMENTION	ADJUSTABLE REVEAL WIDTH											
	0.25"	0.50"	0.75"	1.00"	1.25"	1.50"	1.75"	2.00"	2.25"	2.50"	2.75"	3.00"
A	18.00"	18.25"	18.50"	18.75"	19.00"	19.25"	19.50"	19.75"	20.00"	20.25"	20.50"	20.75"
B	12.00"	12.25"	12.50"	12.75"	13.00"	13.25"	13.50"	13.75"	14.00"	14.25"	14.50"	14.75"
C	14.25"	14.50"	14.75"	15.00"	15.25"	15.50"	15.75"	16.00"	16.25"	16.50"	16.75"	17.00"
D	13.25"	13.50"	13.75"	14.00"	14.25"	14.50"	14.75"	15.00"	15.25"	15.50"	15.75"	16.00"
E	36.00"	36.25"	36.50"	36.75"	37.00"	37.25"	37.50"	37.75"	38.00"	38.25"	38.50"	38.75"